Form 18686 September, 1933 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 105-20

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1932 AND 1933, BY THE SINGER MANUFACTURING CO. ALL RIGHTS RESERVED FOR ALL COUNTRIES

INSTRUCTIONS FOR OILING

Before starting the machine apply Singer Cloth and Leather Oil to all oil holes and bearings. Particular care should be taken to see that a sufficient quantity of oil is poured into the oil hole leading to the oil reservoir at the back of the machine. The main bearings of the machine are lubricated by means of this oil reservoir which should be kept filled with oil. When the machine is in continuous use, it should be oiled frequently.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

INDEX

P	AGE
Accessories	14
SDGE FOLDER	
NEE LIFTER PARTS	
Machine Base	
Machine No. 105-20	
NUMERICAL LIST OF PARTS	
n Usuurmun	

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A.—Hardened, Polished, Nickel Plated and Buffed B.—Polished, Nickel Plated and Buffed C.—Hardened Ouly

D—Polished Only

E-Soft, Not Polished

F-Hardened and Polished

H---Blued

J-Nickel Plated Only

K—Hardened and Nickel Plated

L—Brass Plated

M-Oxidized

N-Japanned, Dull

P--Japanned, Bright

R—Merlized

T-Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated

and Buffed

T, B,—Copper and Nickel Plated and Polished
T, J,—Copper and Nickel Plated Only
T, K,—Hardened, Copper and Nickel Plated
T, M,—Copper Plated and Oxidized
T, L—Copper and Brass Plated
U—Zinc Plated
V,—Silvar Plated

V—Silver Plated

W—Polished and Nickel Plated Y—Black Nickel Plated Only

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated

Z. J.-Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

I to 1500 and 50001 to 51500 are Serew Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers


2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

LIST OF PARTS COMPLETE **FOR**



MACHINE No. 105-20

FOR HEMMING SILK GLOVES AND SIMILAR WORK IN LIGHT MATERIAL. TWO NEEDLES, ONE LOOPER. GAUGES 1/4 AND $\frac{1}{8}$ INCH. BALANCE WHEEL No. 59208. DIAMETER OF BELT GROOVE 23/16 INCHES. SPEED 3500.

NO. *59399		NAME Arm, upper and lower (solid) with 15404 and two 15405
59491 59523		Arm Rotary Shaft
52045	7355	52045
12850	7364	Arm Rotary Shaft Bushing (back) Set

NO. PLATE	NAME
59524 7355	Arm Rotary Shaft Bushing (front) with
09024 7000	52045
52045 7355	Arm Rotary Shaft Bushing (front) Packing (cotton)
448c: 7364	Arm Rotary Shaft Bushing (front) Set
440G 7504	Screw
59525 - 7355	Arm Rotary Shaft Bushing (intermediate) with 52045
ENGLE 5055	Arm Rotary Shaft Bushing (intermediate)
52045 7355	Packing (cotton)
1285c 7364	Arm Rotary Shaft Bushing (intermediate)
12000 7001	Set Screw
59207 7365	Arm Side Cover
1423 _J 7364	" " Screw
59208 7365	Balance Wheel, 23 in. diam., with 424c
(),52(() 10()	and 1354c
1354c 7364	Balance Wheel Position Screw
424c 7364	" Set Screw
59401 7367	Cloth Plate with 59292
59307 7365	" " Slide (left)
59308 7365	" " (right)
59292 7364	" " Steady Pin
59402	Cloth Plate complete, Nos. 59307, 59308
	and 59401
1149c 7364	Cloth Plate Screw
59209 - 7365	Feed Bar with two each 458c and 882c
59440	" 59209 with 59210 and 59241
59240 - 7365	" Carrier with two each 449c and
	458c
57234 - 7355	Feed Bar Carrier Hinge Pin
57235 - 7355	Dusning
457c 7364	
	Screw
458c 7364	Feed Bar Carrier Hinge Pin Set Screw
59211 7355	1111ige 1 itt
882c 7364	Det belew
59403 7363	170g, 13 teeth (13 teeth to the men)
	for 59431
176л 7364	Feed Dog Screw
*59243	" Eccentric Body with 42727
17.7 1.7 1	" " Set Serew
51061c: 7364	
7071 7357 217E 7364	" " Clamping Washer " Screw
59495 7355	Feed Eccentric (adjustable) complete, Nos.
09490 (600	217E, 7074, 50328c, 59243, 59494 and two
	51061c5105280, 59243, 594494 and two
	0400 IC

NO.	PLATE			NAME	
59216	7355	Feed E	ccentric	Connect	ion
59217	7355	44	44	"	Bar with 59218
59218	7355	44	44	44	" Plug
449c	7361	44	44	44	" Set Screw
59518	7357	" L	ifting E	ccentric v	vith two 50150c
59519		44	"		69518 with 59220
59220	7357	44	"	" (Connection
59221	7357	64	46	44	" Bar with
1 4400	, , ,	59213	8		
59218	7355	Feed 1	ifting	Eccentric	Connection Bar
0,0210	, 50.,	Plug			
458c	7364	Feed I	ifting	Eccentric	Connection Bar
1000		Set S	Screw		
42727	7364	Feed L	ifting E	ccentric :	Position Pin
50150c	7364	46	"		Set Screw
50328c	7364	"]	egnlati:	ng Screw	
59405	7357	Looper	with 5	901 and 5	9408
59381	7357	13001702	Carrie	r with 50;	395c
59406	7357	46	"		vith two 1186E
29400 1486£			46	" (Clamping Screw
207j	7364	44	"		Fiming Screw
59225	7357	44	"		ug
	7357	"	"		
59226	7357	"	"		rank with 1143E
59227 1143E		"	"	"	" Clamping Screw
	7356	• 6	Neodle	Guard v	vith 54707
59407	7356		11000110		Pin
54707 590a			46		crew
- 50395c	•	**	Set Sc		
- 59408	7357	44			
590a	7357	"	46		Screw
59409	7356	Noodle	Rar (b		th 906c
59410	7356	14664116	, 17(t. (1.	ushing (le	ower)
462c		44	"	"	" Set Screw
	7356 7356	16	44	" (n	pper)
42253			44	"	" Set Screw
4620	7356	"	" C	onnecting	Bracket with 1751
59236	1990	en.	160c	Officount	
177.	7364	Noath	Bay C	onnecting	Bracket Clamping
175 J	7.30-1	Vecun	o Dai C	omicome	
F.133377	7.254				Link
59237	7356 7356	1 CCCIII	G Dar C	"	" Hinge Pin
40247	1390	Om	(ror)		
200	. 7004	Man H	o Bort	Connectiv	ng Link Hinge Pin
2081	7364	Accent	(m) Set	Screw	
10017	7950	(10W 1117	o Bor (Connectiv	ng Link Hinge Pin
40247	7356				
		(up)	pcr)		

18686 - 3

NO. PLATE	NAME
460c - 7364	Needle Bar Connecting Link Hinge Pin
	(upper) Set Screw
59238 - 7356	Needle Bar Lever with 208F, 448c and
	1036e
59607 - 7365	Needle Bar Lever Connecting Rod with
	55515, 59242, 59503, 128835 and two
	each 141£ and 647£
59608 - · -	Needle Bar Lever Connecting Rod 59607
	with 59240 and 59605
59240 - 7357	Needle Bar Lever Connecting Rod Ball
	Stud
1036c 7357	Needle Bar Lever Connecting Rod Ball
	Stud Sct Screw
*59503 7365	Needle Bar Lever Connecting Rod Cap
	(lower)
141E 7364	Needle Bar Lever Connecting Rod Cap
	(lower) Serew
*59242 7365	Needle Bar Lever Connecting Rod Cap
	(upper)
647e - 7364	Needle Bar Lever Connecting Rod Cap
	(upper) Serew
59605 - 7356	Needle Bar Lever Connecting Rod Eccen-
	tric with 148c, 1299c and two 59606
59606 - 7356	Needle Bar Lever Connecting Rod Eccen-
	tric Lubricating Pad (wood)
128835 - 7356	Needle Bar Lever Connecting Rod Eccen-
	tric Oil Cup
1299c 7356	Needle Bar Lever Connecting Rod Eccen-
	tric Position Screw
448c. 7364	Needle Bar Lever Connecting Rod Eccen-
	tric Set Screw
42077 - 7356	Needle Bar Lever Connecting Rod Guide
187x - 7361	
	Screw
59245 - 7356	Needle Bar Lever Connecting Rod Guide
	Stud
59246 - 7356	Needle Bar Lever Connecting Rod Guide
	Stud Bracket with 59245
193x - 7357	Needle Bar Lever Connecting Rod Guide
	Stud Bracket Screw
55515 - 7356	Needle Bar Lever Connecting Rod Oil Pad
	(braided cotton)
59247 7358	Needle Bar Lever Hinge Pin
59248 - 7358	" " " " Bushing
	(back)
624c 7364	Needle Bar Lever Hinge Pin Bushing
	(back) Set Serew

					NAME			
	PLATE	Manilla	Dor				Pin	Bushing
59249	7358							
405	7957	Needle						Busling
465C	7357							
4.412-	7004							Screw
448c	$7364 \\ 7358$	Needic	Clan	never Navitl	111118	178 a	nd tu	/о 50505г
59412	7358	"	и					
46478		46	Cum					
59321	7358	"	Ghar					
171F		"	9,4 9					,,
50505F								
59544	7358	rresser						
59252	7358	"	"	msiii.	ng (r	"		Screw
465c		"	"	"	1,	LDAGE		
42253	7356	"	"	44	(t	thior		Screw
4650		"						
59253	7358	"	"	Larter				nd
51815	7358	"	"	"				,
891		"	"	"				
	7364	"	"				ew et w	
59505	7358			Liftin				
			,	STU, D	1811	and	() 101 i Jrot	5 Adjusting
391.	r 7358	Presse			.,			
59506	7358	Presse	r Bar	1.11.£117;		acket a	Guld	Set Screw
62-16		"	"	"		"		berew
11436		"						
59257	7359	"	"	 Shtinë				
59258	7358	"	"	"				nd
51810	7358	"						
59413	7363	"	100		,			
59414		"	"					
59415								Nos. 59413
59416	7363							
	F00.4	000						
	n 7364							ew
	ъ 7364	Pressi	ire itt	guat.	mg r	: 1111111 66	11) E)G1	Lock Nut
1547			/P1					
59264			1 mrea	ia Co.	ntroi			Screw
95			"		"		0	13616W
59265			"			1.		inge Screw
87			46	D				
59417			"		H-0H			
59418			"		"	Eye		ate with
59449	7359						1 1	
			67					nto Din
63767			Thre	au ru	п-оп	Eye		ate Pin
63767	7 - 7362				.,	•••	170	isition 1711).

NO.	PLATE			NAM	•••	
228i		Shale'	Thrond 1		is Lyclet Scre	
193.i	7357	i Hack	i meau i		syciet sere Screw	
59420	7359	66	" I			
59267	7359	4.6	,;	regulate 14	or	ath 465c
59268	7359	"	"	"		ank with
09208	7009	4	1650		. (.1	ank with
51811	7358	CWO Shade	Thursd	Domila	tor Holde	
91611	1000					
105	7357	Slack			tor Holde	
400C	1001				1101de	
465c	7357	Shack '	Thread 1	 Zagulutā	r Set Scre	
59121	7362	Toneso	n tondo	· (lossed)) Bracket.	w
38670	7359	1 (11810	ar (dudet	(HICatt)	DIRECKEE.	eady Pin
2102	7362		66	"	Di	eady 1'm
51570c		16		44		
91940C	7.502				Regulatio	g Thumb
50326c	7900	nut Ti		1) Screw St	
- 505200 - 59539	7362	rensic	n (unae:	r thread,) Screw St	ud
99998			-			
E0594	7000	With	. 51 5790.			
59534	7362	Tensio	n (under	· thread)	Spring	
59537	7362		` ''	••	"В	ushing
50500	77124163	(ları	(e)			
59538	7362	Tensio	n (unde	r threac	l) Spring	Bushing
2102	77273	(snn	iii),			• • • • • • • •
2102 51570c	7362	Tensio	n (upper	thread)	Disc	
91970C	7362				Regulatin	
50326c	7362	Nut				
- 59539 - 59539	7302	rensio	n (upper	(Intead)	Screw Str	101
อยออย			51570			50326c
1547E	7364	With	- 61670C.		Screw Sta	1.37
59535	7362	1 chsio	n (apper	unread)	Spring	ia nut
59537	7362	**	16	44	opring	
อลออส	1002	/ luma			"В	ushing
59538	7362	(rarg	(e)		l) Spring	
00000	7302	1 chsio	n (uppe	r unreno	() Spring	Bushing
59270	7362	Thema	l (mydae)			
1·123 _J	7364	66	(under)	asyerer.		· · · · · · · ·
59422	7362	16	"		Screw	
59423	7002	"	"	Nipper	Bracket	
00420		0547	50201			422 with
59301	7362	9947	, 09501,	99419 ai	nd two 637	67
452c	7362	1 meac	t (under)	ripper	Bracket S	
4020	1002					
59272	7362	There	W L (NI.	(1. : 1. IN	
59272	7362	1 mead	(under)	Nipper	Guide Pla	te
59275 190a	7361	"	"		Releasing	Bracket
1903	(OO L					••
		berev	w	• • • • • •		

NO. PLATE	NAM	
59274 7362	Thread (under) Nippe	r Releasing Stud
59275 7362	" "	Spring
1423j 7364	" "	" Screw
9547 7359		" Steady Pin
59276 7362	" Protec	etor
240r 7362		Set Screw
59277 7359		up (left)
59278 7359		$(right)\dots\dots$
190s 736I		Screw
59280 7359	" " "	Staple
59284 7359		" Holder
	with 904c	
59282 - 7359	Thread (under) Tak	e-up Staple Holder
	Collar with 460c	
460€ 7364	Thread (under) Tak	
59283 7359	Thread (under) Tak	e-up Staple Holder
	Collar Spring	
236 _F 7364	Thread (under) Tak	e-up Staple Holder
	Collar Spring Screw	V
904c 7361	Thread (under) Take	-up Staple Set Screw
59424 - 7359		Stripper
59285 7359	" " "	" Braeket
	with 240F	
596ъ 7359	Thread (under) Take	
	Screw	~
$207 \mathbf{F} \cdot 7364$	Thread (under) Take	-up Stripper Screw.
59425 - 7362		k Spring " Bracket with
59426 - 7360	••	
	2273, 59427 and tw	70 904c
2273 - 7360		k Spring Bracket Pin
*59427 7360		136(1)
452c 7362		
	Set Screw	1 0 1 D 1.4
59428 - 7360	Thread (upper) Che	ck Spring Regulating
	Stud	1 0 1 D 1 D
904c 7361	Thread (upper) Che	ck Spring Regulating
	Stud Set Screw	
904c 7361		ck Spring Stop Screw
59429 - 7360		et (side of arm) " " Serew
50014c 7364		
59430 7360	1 ake	e-up
906c 7364		Det Detem
59431 7363		
691r 7363	Screw.	
*15404	Tracio markini	
15405	- " Rivet	

ACCESSORIES

NO.	PLATE	NAME
120344	7366	Oiler (copper plated) with 120345
120345	7366	" Spout, 5 in. long
		Screw Driver (large)
		" (small)
120341	7366	Tweezers (curved)
		Wrench for 1547
		" " 1575
22003	7366	" " 1575

EDGE FOLDER

NO.	PLATE			NAME	
120265					on Shank
1443 p	7360	"	"	Screw	

KNEE LIFTER PARTS

NO.	PLATE				NAMI	Е	
32040		Chain	, 123	í in. k	ng, w	ith 5	6864 and 56865
56864	7361	44					
56865	7364	44	"				
59509	7361	Lifting	g Lev	er			
211	7364	"	44				
59510	7361	"	"				
59511	7361		"				
219.	7364		44	44			
7124	7367	Rock .	Shaft				
2764	7367	44	44	Han	ger (ba	ick)	with two wood
		scre	ws 1	in. N	o. 10		
16128	7367						with two wood
		sere	ws 1	in. N	o. 10		
16646	7367						
16647		Rock	Shaf	t Kn	ee Ai	n	complete, Nos.
2766	7367						b with 356c
356c	7364	66	44	66	44	64	Set Screw
2767	7367		"	16	Plate	wit	Ar 356c
356c	7364	• 6	46	64	"	Set	Screw
6337	7367	"	* 6	Lifti	ng Bra	icke	t with two 356c
6338	7367	66	46		• .	44	Hook
3 5 6c	7364	46	"	46		"	" Set Screw
3560	7364	44	4.6	4.6		66	Set Screw
32134	7367	**	66	Sprii	ıg		

MACHINE BASE

NO. 59295	PLATE 7367	four ea 1½ in.	ch 84 No.	with 1 0E, 59	.me .00D, 36006, 59296 and
59296 36006	7360 7360	Machine	44	66	r Friction Washer
_	5 7364 E 7364	"	"	Screv	Hinge Screw
	7360	"	Cush	tion (f	elt)

THREAD UNWINDER

FOR THREE SPOOLS

	NAME
NO. PLATE	
225259 20778	Spool Rest (for one spool) with 201018c
225257 20778	" " (for two spools) with 201018c
150203	" (Cushion (felt)
225388 20778	" " Rod
200383c 7364	" " Set Screw
201018c 7361	" Set Screw
202490 20778	" Stand with 200383c
	141.11
$225391 \ 20778$	Thread Guide
201696a 7361	" Lock Nut
225326 - 7361	" Position Cup
225324 20778	" Rod with 208E and 225322
208E 7364	" " Screw
225322 7361	" " Washer
*150057	" Separator
150058 20778	" 150057 with 150059
*150059	" Bracket
150060 20778	" " Arm with 1641
	and 9525

THREAD UNWINDER

16

NO.	PLATE	NAME
164л	7364	Thread Separator Bracket Arm Clamping Screw
9525	7361	Thread Separator Bracket Arm Clamping Screw Washer
164J	7364	Thread Separator Bracket Screw
9525	7361	" " " Washer
150061		Thread Separator complete, Nos. 1641, 9525, 150058 and 150060
150478	20778	Thread Unwinder complete, Nos. 150061, 2016961, 202490, 225257, 225259, 225324, 225326, 225388 and three each 150203, 225391 and wood screws J ₈ in. No. 12.
27739	7366	Thread Cone (wood) for large cones
225390	7366	" Holder, for inverted cones

Note. Nos. 27739 and 225390 are used with, but not included in 150178.

Genuine Singer Needles should be used in Singer Machines.
These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

ERICAL LIST OF PARTS. FOR MACHINE No. 105-20

NUMERICAL LIST OF PARTS

NO. PLATE	NAME
21 р 7364	Lifting Lever Hinge Serew for 59512
87c 7358	Slack Thread Controller Link Hinge Screw
89r 7358	Presser Bar Lifter Hinge Screw
95c 7358	Slack Thread Controller Hinge Screw
100в 7364	Machine Base Cover Hinge Screw for
	59295
141E 7364	Needle Bar Lever Connecting Rod Cap
	(lower) Screw for 59607
164± 7364	Thread Unwinder Thread Separator
	Bracket Arm Clamping Screw for
	150060
164 _J 7364	Thread Unwinder Thread Separator
	Bracket Screw for 150061
171F 7364	Needle Guard Screw
175j 7364	" Bar Connecting Bracket Clamp-
	ing Screw for 59236
176j 7364	Feed Dog Screw
185н 7364	Presser Foot Serew
187 _J 7361	Needle Bar Lever Connecting Rod Guide
217.0	Screw
190л 7361	Thread (under) Nipper Releasing Bracket
	Screw
190j 7361	Thread (under) Take-up Serew
1931 7357	Needle Bar Lever Connecting Rod Guide
	Stud Bracket Screw
193л 7357	Slack Thread Pull-off Screw
207 _J 7364	Looper Carrier Driver Timing Serew
207 F 7364	Thread (under) Take-up Stripper Screw
$208 \text{F} \cdot 7364$	Needle Bar Connecting Link Hinge Pin
	(lower) Set Screw for 59238
208E 7364	Thread Unwinder Thread Guide Rod
	Screw for 225324
217E 7364	Feed Eccentric Clamping Washer Screw
	for 59495
219ј 7364	Lifting Lever Stop Screw for 59512
228i 7364	Slack Thread Pull-off Eyelet Screw
236F 7364	
	Collar Spring Screw
240F 7362	
	59285
356c 7364	
	2766
356c 7364	Rock Shaft Knee Plate Set Screw for 2767

NO. PLATE	NAME
356c 7364	Rock Shaft Lifting Bracket Hook Set
12///	Serew for 6337
356c 7361	Rock Shaft Lifting Bracket Set Screw
	for 6337
356c 7364	Rock Shaft Spring Adjusting Dog Set.
	Screw for 2770
356c: 7364	Rock Shaft Stop Dog Set Screw for 2770
394i - 7358	Presser Bar Lifting Bracket Adjusting
	Screw for 59505
$424e_{-}7364_{-}$	Balance Wheel Set Screw for 59208
448c 7364	Arm Rotary Shaft Bushing (front) Set
	Serew
448e 7361	Needle Bar Lever Connecting Rod Eccen-
	tric Set Serew for 59605
448c 7361	Needle Bar Lever Hinge Pin Set Screw
	for 59238
449e 736 1	Feed Eccentric Connection Bar Set Screw
	for 59210
152e - 7362	Thread (under) Nipper Bracket Stud Set
	Screw
452c - 7362	Thread (upper) Check Spring Bracket
457 70.14	Stud Set Screw Feed Bar Carrier Hinge Pin Bushing Set
457e 7364	Serew
458e 7364	Feed Bar Carrier Hinge Pin Set Serew
4050 7504	for 59209
458c 7364	Feed Lifting Eccentric Connection Bar
11111	Set Serew for 59210.
460e 7364	Needle Bar Connecting Link Hinge Pin
,	(upper) Set Screw for 59236
460c 7364	Thread (mider) Take-up Staple Holder
	Collar Set Screw for 59282
462e - 7361	Needle Bar Bushing (lower) Set Screw
462c - 7364	" " (upper) Set Serew
465e - 7357	" " Lever Hinge Pin Bushing
	(front) Set Screw
465e 7357	Presser Bar Bushing (lower) Set Screw
465c 7357	" (upper) Set Serew
465e - 7357	Slack Thread Regulator Holder Crank
	Set Serew for 59268
465c 7357	Slack Thread Regulator Set Screw for
	59267
590a 7357	Looper Needle Guard Screw
590a 7357	Threater Cabital Deleave for 5,5100.
596 b 7359	Thread (under) Take-np Stripper Bracket
624e 7364	Serew
(i=10 (i)01	(back) Set Screw

NO. PLATE	NAME
624c 7364	Presser Bar Lifting Bracket Guide Set
	Serew
617E - 7364	Needle Bar Lever Connecting Rod Cap
	(npper) Screw for 59607
691×7363	Throat Plate Serew
840E 7364	Machine Base Screw for 59295
882e 7364	Feed Bar Hinge Pin Set Serew for 59209
904c 7361	Thread (under) Take-np Staple Set Screw for 59281
904c 7361	Thread (npper) Check Spring Regulating Stud Set Screw for 59426
901c 7361	Thread (upper) Check Spring Stop Serew
906c 736 4	" " Take-up Set Screw for
•	59409
1036c 7357	Needle Bar Lever Connecting Rod Ball
	Stud Set Serew for 59238
1143 г. 7357	Looper Carrier Shaft Crank Champing Serew for 59227
1110 7057	Presser Bar Lifting Bracket Set Screw for
1143e 7357	59505
1149c 7364	Cloth Plate Screw
H86E 7357	Looper Carrier Driver Clamping Screw
	for 59406
1285c 7364	Arm Rotary Shaft Bushing (back) Set Screw
1285e 7364	Arm Rotary Shaft Bushing (intermediate) Set Screw
1299e 7356	Needle Bar Lever Connecting Rod Eccentric Position Screw for 59605
1317р 7364	Pressure Regulating Thumb Screw
4354c 7364	Balance Wheel Position Serew for 59208
14231 7364	Arm Side Cover Serew
$1423 i_{\odot} 7364$	Thread (under) Eyelet Screw
14231 7364	" "Nipper Spring Serew
1443в 7360	Edge Folder Screw
1547ょ 7364	Pressure Regulating Thumb Serew Lock
1547E 7364	Tension (upper thread) Screw Stud Nut
2102 7362	" (under thread) Dise
2102 7362	" (upper thread) Disc
2273 7360	" (upper) Check Spring Bracket Pin for 59426
2764 7367	Rock Shaft Hanger (back) with two wood screws 1 in. No. 10, for 32135
2766 7367	
2400 1001	16647

NO.	PLATE	NAME
2767	7367	Rock Shaft Knee Plate with 356c, for 16647
2770	7367	Rock Shaft Spring Adjusting Dog with 356c, for 32135
2770	7367	Rock Shaft Stop Dog with 356c, for 32135
4822	7366	Wrench for 1547 (Accessories)
6337	7367	Rock Shaft Lifting Bracket with two
		356c, for 32135
6338	7367	Rock Shaft Lifting Bracket Hook for 32435.
7071	7357	Feed Eccentric Clamping Washer for 59495
7124	7367	Rock Shaft for 32135
9525	7361	Thread Unwinder Thread Separator
		Bracket Arm Clamping Screw Washer for 150060
9525	7361	Thread Unwinder Thread Separator
		Bracket Screw Washer for 150064
9547	7359	Thread (under) Nipper Spring Steady
		Pin for 59423
*15-104		Trade Mark
15405		" " Rivet
16128	7367	Rock Shaft Hanger (front) with two wood
- (, ,	• • • • • • • • • • • • • • • • • • • •	serews 1 in. No. 10, for 32135
16646	7367	Rock Shaft Knee Arm for 16847
16647		Rock Shaft Knee Arm complete for 32135,
		Nos. 2766, 2767 and 16646
22003	7366	Wrench for 1575 (Accessories)
26026	7366	Serew Driver (large) Accessories
26485	7366	" (small) Accessories
27739	7366	Thread Unwinder Thread Cone (wood)
		for large cones, for 450478
32040		Chain, 123 ₄ in. long, with 56864 and 56865, for 59512
32134	7367	Rock Shaft Spring for 32135
32135	7367	Rock Shaft complete for 59512, Nos.
		2764, 6337, 6338, 7424, 16128, 16647, 32134 and three 2770
36006	7360	Machine Base Cover Friction Washer for 59295
38670	7359	Tension (under thread) Bracket Steady Pin
40247	7356	Needle Bar Connecting Link Hinge Pin (lower)
40247	7356	Needle Bar Connecting Link Hinge Pin (npper)
42077	7356	Needle Bar Lever Connecting Rod Gnide

NO.	PLATE	NAME
42253	7356	Presser Bar Bushing (upper)
42253	7356	Needle Bar Bushing (upper)
42727	7364	Feed Lifting Eccentric Position Pin for
		59494
46478	7358	Needle Clamp Thread Guide for 59412
50014c	7364	Thread (upper) Eyelet (side of arm)
		Screw
50138E	7364	Presser Bar Lifter Stop Screw
50150c	7364	Feed Lifting Eccentric Set Screw for
		59518
50326c	7362	Tension (under thread) Screw Stud for
		59539
50326c	7362	Tension (upper thread) Screw Stud for
		59539
50328c	7364	Feed Regulating Screw for 59495
50395c	7357	Looper Set Serew for 59381
50505 F	7358	Needle Set Screw for 59412
51061c	7364	Feed Eccentric Body Set Screw for 59495
51570c	7362	Tension (under thread) Regulating Thumb
		Nut for 59539
51570c	7362	Tension (upper thread) Regulating Thumb
		Nut for 59539
51810	7358	Presser Bar Spring Roller and Stud for
		59505
51811	7358	Slack Thread Regulator Holder Crank
		Roller and Stud for 59505
51815	7358	Presser Bar Lifter Roller and Stud for
		59505
52045	7355	Arm Rotary Shaft Bushing (back) Pack-
		ing (cotton) for 59523
52045	7355	Arm Rotary Shaft Bushing (front) Pack-
02010	1000	iug (cotton) for 59524
50015	7355	Arm Rotary Shaft Bushing (intermediate)
52045	1000	Packing (cotton) for 59525
54707	7356	Looper Needle Guard Pin for 59407
55515	7356	Needle Bar Lever Connecting Rod Oil
00010	7000	Pad (braided cotton) for 59607
56864	7361	Chain Hook (large) for 32040
56865	7364	" (small) for 32040
57234	7355	Feed Bar Carrier Hinge Pin
57234	7355	" " " Bushing
59207	7365	Arm Side Cover
59207	7365	Balance Wheel, 2 % in. diam., with 424c
UDAGO	1000	and 1354c
50000	7365	Feed Bar with two each 458c and 882c,
59209	7305	for 59.140
		101 00110

NO.	PLATE	NAME
59210	7365	Feed Bar Carrier with two each 449c and
		458c, for 59440
59211	7355	Feed Bar Hinge Pin for 59440
*59213		" Eccentric for 59495
59216	7355	" (Connection
59217	7355	Dai with 59210
59218	7355	
		59217
59218	7355	Feed Lifting Eccentric Connection Bar
		Plag for 59221
59220	7357	Feed Lifting Eccentric Connection for
		59519
59221	7357	Feed Lifting Eccentric Connection Bar
		with 59218
59225	7357	Looper Carrier Hole Plug
59226	7357	" " Shaft
59227	7357	" " Crank with 1143E
59236	7356	Needle Bar Connecting Bracket with 1751
		and 460c
59237	7356	Needle Bar Connecting Link
59238	7356	" "Lever with 2085, 448c and
		1036c
59210	7357	Needle Bar Lever Connecting Rod Ball
		Stud for 59608
*59212	7365	Needle Bar Lever Connecting Rod Cap
		(upper) for 59607
59245	7356	Needle Bar Lever Connecting Rod Guide
		Stud for 59246
59246	7356	Needle Bar Lever Connecting Rod Guide
		Stud Bracket with 59215
59247	7358	Needle Bar Lever Hinge Pin
59218	7358	" " " " Bushing
		(back)
59249	7358	Needle Bar Lever Hinge Pin Bushing
		(front)
59252	7358	Presser Bar Bushing (lower)
59253	7358	" " Lifter
59257		" "Spring
59258		" " Block
59264	7358	Slack Thread Controller
59265	7358	" " " Link
59267		" Regulator Holder with 465c
59268	7359	" " " " Crank with
		two 465c
59270		Thread (mder) Eyelet
59272		" "Nipper Guide Plate
59273	-7362	" " Releasing Bracket

NO.	PLATE		NAME	
59274	7362	Thread (unde	r) Nipper R	eleasing Stud
59275	7362	" "	" Sı	oring
59276	7362	"	Protector	
59277	7359	"	Take-up	
59278	7359	"	"	(right)
59280	7359	"	"	Staple
59280	7359	"	"	" Holder
00201	100.5	with 904c.		
59282	7359	Thread (und	er) Take-nj	Staple Holder
59283	7359			Staple Holder
59285	7359			Stripper Bracket
99289	4009			outplot man
59292	7364			or 59401
59295	7367	Machine Ba	se with 100	D, 36006, 59296
0,0200	1001	and four	each 840E,	59297 and wood
		screws 11/2	in. No. 14.	
59296	7360	Machine Ba	se Cover for	$59295\ldots$
59297	7360	" Cu	shion (felt) i	or 59295
59301	7362	Thread (und	er) Nipper	Bracket Stud for
0,000	1002	59423		
59307	7365		Slide (left) f	or 59402
59308	7365	" "		for 59402
59321	7358	Needle Guai	d	
59381	7357	Looper Carr	ier with 503	95c
*59399		Arm, upper	and lower (s	olid)
59101	7367	Cloth Plate	with 59292,	for 59402
59102				los. 59307, 59308
59403	7363	Feed Dog, 1	9 teeth (18 1	eeth to the inch)
		for 59131.		
-59105	7357	Looper with	5901 and 59	9408
59406	-7357			ith two 1186E
59407	7356			ith 54707
59408				or 59405
59409	-7356		(hollow) wit	h 906c
59410	-7356	." "		wer)
59412	7358	" Clar	np with 4647	$^{\prime}8$ and two 50505 F
59413				for 59416
5911-	_		2 21000	9416
59417	j			59416
59110	5 7363			complete, Nos.
59117	7 7361	- · · · · · · · · · · · · · · · · · · ·		
59418	•	,		yelet
1727 1 1 0	,		-	J

NO.	PLATE	NAME
59149	7359	Slack Thread Pull-off Eyelet Plate with
		63767, for 59423Slack Thread Regulator
59420	7359	Tension (under thread) Bracket
59121	7362	Thread (under Nipper Bracket for 59423
59422	7362	Thread (under) Nipper Bracket for 59425 " " 59422 with
59423		9547, 59304, 59419 and two 63767
	7711 7 11	Thread (under) Take-up Stripper
59424	7359	" (upper) Check Spring
59425	7362	" " Bracket
59426	7360	with 2273, 59427 and two 904c
*59427	7360	Thread (upper) Check Spring Bracket
		Stud for 59426 Burnleting
59428	7360	Thread (upper) Check Spring Regulating
		Stud
59429	7360	Thread (upper) Eyelet (side of arm) " Take-up
59-I30	7360	Throat Plate for 59103
5943 I	7363	Feed Bar 59209 with 59210 and 59211
59440		Arm Rotary Shaft
59491	7365	Feed Eccentric Body with 42727, for
*59494		59195
		Feed Eccentric (adjustable) complete,
59495	7355	Nos. 217E, 7071, 50328c, 59213, 59494
		and two 51061c
		Needle Bar Lever Connecting Rod Cap
*59503	7365	(lower) for 59607
		1-11
59505	7358	Presser Bar Lifting Bracket with 3911,
		11 13c, 51810, 51811 and 51815
59506	7358	Presser Bar Lifting Bracket Guide
59509	7361	Lifting Lever for 59512
59510	7361	" Spring for 59512 " Stop for 59512
59514	7364	Knee Lifter complete (power table), Nos.
59512		24 p., 219a, 32010, 32135, 59509 to 59511
59518	7357	Feed Lifting Eccentric with two 50150c,
		for 59519
59549		Feed Lifting Eccentric 59518 with 59220
59523	7355	Arm Rotary Shaft Bushing (back) with 52045
		Arm Rotary Shaft Bushing (front) with
59524	7355	52045
F	70177	Arm Rotary Shaft Bushing (intermediate)
59525	7355	with 52015
50.504	7362	Tension (under thread) Spring
59534		" (upper thread) Spring
59535	7302	(upper timeau) opting

NO.	PLATE	NAME
59537	7362	Tension (under thread) Spring Bushing
0,,051	1002	(large)
59537	7362	Tension (upper thread) Spring Bushing
		(large)
59538	7362	Tension (under thread) Spring Bushing
		(small)
59538	7362	Tension (upper thread) Spring Bushing
		(small)
59539		Tension (under thread) Serew Stud 50326c
		with 51570c
59539		Tension (upper thread) Serew Stud 50326c
		with 51570c
59544	7358	Presser Bar
59605	7356	Needle Bar Lever Connecting Rod Eccen-
		trie with 448c, 1299c and two 59606,
		for 59608
59606	7356	Needle Bar Lever Connecting Rod Eccen-
		trie Lubricating Pad (wood) for 59605
59607	7365	Needle Bar Lever Connecting Rod with
		55515, 59242, 59503, 128835 and two
		each 141E and 647E, for 59608
59608		Needle Bar Lever Connecting Rod 59607
		with 59240 and 59605
63767	7362	Slack Thread Pull-off Eyelet Plate Pin
		for 59419 Slack Thread Pull-off Eyelet Position Pin
63767	7362	for 59423
10000	7000	Edge Folder (adjustable) on Shank
120265 120341	7360 7366	Tweezers (eurved) Accessories
120344	7366	Oiler (copper plated) with 1203-15 (Acces-
120044	7300	sories)
120345	7366	Oiler Spout, 5 in. long, for 120344 (Acces-
1200-10	7.000	sories)
128835	7356	Needle Bar Lever Connecting Rod Eccen-
120000	1000	trie Oil Cup for 59607
*150057		Thread Unwinder Thread Separator for
100001		150058
150058	20778	100057
10000		with 150059, for 150061
*150059		Thread Unwinder Thread Separator
		Bracket for 150058
150060	20778	Thread Unwinder Thread Separator
		Bracket Arm with 1641 and 9525, for
		150061
150061		Thread Unwinder Thread Separator com-
		plete for 150178, Nos. 1641, 9525, 150058
		and 150060

18686 - 4

NO. PLATE	NAME
150178 20778	Thread Unwinder complete, for three
	spools, Nos. 150061, 2016961, 202490,
	225257, 225259, 225324, 225326, 225388
	and three each 150203, 225391 and
	wood screws ⁷ § in. No. 12
150203	Thread Unwinder Spool Rest Cushion
	(felt) for 150178
200383c 7364	Thread Unwinder Spool Rest Rod Set
	Serew for 202490
201018c 7364	Thread Unwinder Spool Rest Set Screw
	for 225257 and 225259
201696л 7361	Thread Unwinder Thread Guide Lock
	Nut for 150178
202490 20778	Thread Unwinder Spool Stand with
	200383c, for 150178
225257 20778	Thread Unwinder Spool Rest (for two
	spools) with 201018c, for 150178
225259 20778	Thread Unwinder Spool Rest (for one
	• spool) with 201018c, for 150178
225322 - 7361	Thread Unwinder Thread Guide Rod
	Washer for 225324
$225324 \ 20778$	Thread Unwinder Thread Guide Rod
	with 208E and 225322, for 150178
225326 - 7361	Thread Unwinder Thread Gnide Position
	Cup for 150178
$225388 \ 20778$	Thread Unwinder Spool Rest Rod for
	150178
225390 - 7366	Thread Unwinder Thread Cone Holder,
	for inverted cones, for 150178
$225391 \ 20778$	Thread Unwinder Thread Guide for 150478

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."


> Needles in Containers marked "For Singer Machines" are not Singer made needles.


ILLUSTRATIONS OF PARTS


MACHINE No. 105-20


FOR


PLATE 7355-FULL SIZE





































PLATE 7366-ONE-HALF SIZE




PLATE 7367-ONE-FOURTH SIZE

